

SPACE STANDARDS

14 Fortrose Street

1 type of flat

– Net floor area, volume, wall surface area, window area to be determined after (by individual flat based on amount of furniture and obstruction)

| FLAT NO.: x | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | Access Deck |
|---|---------|---------|---------|--------|---------|----------|-------|--------------|---------|-------|-------------|
| Ceiling height (m) | 2.32 | 2.32 | 2.32 | nil | 2.32 | 2.32 | nil | 2.32 | 2.32 | 2.32 | |
| Orientation (windows) | W | W | E | nil | W | W | nil | W | E | n/a | |
| Main dimensions (lxw)(m) | 3.9x3.2 | 2.6x2.4 | 2.7x1.5 | nil | 4.0x2.8 | 3.9x2.65 | nil | 1.8x3.0 | | | |
| Window dimensions (wxh)(m) | 2.6x1.3 | 1.2x1.1 | 1.2x1.1 | nil | 1.2x1.1 | 1.2x1.1 | nil | n/a | 4.0x2.5 | | |
| Gross floor area (m ²) | 14.44 | 8.34 | 4.05 | nil | 11.84 | 11.14 | nil | 10 | 9.70 | 7.75 | 77.26 |
| Gross volume (m ³) | 33.50 | 19.35 | 9.40 | nil | 27.47 | 25.84 | nil | 23.20 | 22.50 | 17.98 | 179.24 |
| Gross window area (m ²) | 4.27 | 1.32 | 1.32 | nil | 1.32 | 1.32 | nil | nil | 4.69 | n/a | 14.24 |
| Net window area (glass) (m ²) | 2.83 | 0.90 | 0.90 | nil | 0.90 | 0.90 | nil | nil | 3.27 | n/a | 9.70 |
| window to floor area (%) | 19.61 | 10.79 | 22.22 | nil | 7.60 | 8.08 | nil | nil | 33.70 | n/a | 102.01 |
| Gross wall surface area (m ²) | 36.50 | 30.00 | 21.00 | nil | 38.00 | 36.75 | nil | nil | | | 162.25 |
| Intensity of Occupancy (persons h | 1.33 | 2.30 | 4.73 | nil | 1.62 | 1.72 | nil | 1.91 | 1.98 | 2.47 | 0.26 |
| Occupancy Level (persons/m3) | 0.07 | 0.11 | 0.23 | nil | 0.08 | 0.09 | nil | 0.09 | 0.10 | 0.12 | 0.01 |

Occupant Scenario

| Esler C9 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | |
|--|-------|-------|-------|--------|-------|-------|-------|--------------|-------|-------|-------|
| Net window area (unshaded) (m ²) | 2.41 | 0.72 | 0.77 | nil | 0.63 | 0.45 | nil | nil | 2.94 | n/a | 7.16 |
| window to floor area (unshaded%) | 17 | 9 | 19 | nil | 5 | 4 | nil | nil | 30 | n/a | 84 |
| Covered surface area (m ²) | 5.13 | 9.70 | | | 7.12 | 5.00 | nil | nil | | | 26.95 |
| Net wall surface area (%) | 85.95 | 67.67 | | | 81.26 | 86.39 | nil | nil | | | |
| Furniture volume (m ³) | 4.16 | 5.69 | 1.45 | | 4.01 | 4.06 | nil | 4.00 | | | |
| Net volume (m ³) | 29.34 | 13.66 | 7.94 | | 23.46 | 21.78 | nil | 19.20 | | | |
| Net volume (%) | 87.59 | 70.59 | 84.55 | | 85.42 | 84.28 | nil | 82.76 | | | |

Occupant Scenario

| Sherry 18 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | SUNSP | HALL | STORE | TOTAL |
|--|-------|-------|-------|--------|-------|-------|-------|-------|------|-------|-------|
| Net window area (unshaded) (m ²) | 1.13 | 0.63 | 0.81 | nil | 0.54 | nil | nil | nil | n/a | n/a | 7.16 |
| window to floor area (unshaded%) | 8 | 8 | 20 | nil | 5 | nil | nil | nil | n/a | n/a | 40 |
| Covered surface area (m ²) | 3.82 | 4.21 | | | 2.90 | nil | nil | nil | | | 10.93 |
| Net wall surface area (%) | 89.53 | 85.98 | | | 92.37 | nil | nil | nil | | | |
| Furniture volume (m ³) | 2.65 | 3.30 | 1.45 | | 2.85 | nil | nil | nil | | | |
| Net volume (m ³) | 30.85 | 16.05 | 7.94 | | 24.62 | nil | nil | nil | | | |
| Net volume (%) | 92.10 | 82.93 | 84.55 | | 89.62 | nil | nil | nil | | | |

Occupant Scenario

| Kier A3 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | |
|--|-------|-------|-------|--------|-------|-------|-------|--------------|-------|-------|-------|
| Net window area (unshaded) (m ²) | 2.26 | 0.63 | 0.72 | nil | 0.77 | 0.68 | nil | nil | 2.62 | n/a | 7.16 |
| window to floor area (unshaded%) | 16 | 8 | 18 | nil | 6 | 6 | nil | nil | 27 | n/a | 80 |
| Covered surface area (m ²) | 5.14 | 9.08 | | | 4.51 | 6.70 | nil | nil | | | 25.43 |
| Net wall surface area (%) | 85.92 | 69.73 | | | 88.13 | 81.77 | nil | nil | | | |
| Furniture volume (m ³) | 3.69 | 7.89 | 1.45 | | 2.93 | 2.78 | nil | 0.00 | | | |
| Net volume (m ³) | 29.81 | 11.46 | 7.94 | | 24.54 | 23.06 | nil | 23.20 | | | |
| Net volume (%) | 88.99 | 59.21 | 84.55 | | 89.35 | 89.24 | nil | 100.00 | | | |

| Occupant Scenario | | | | | | | | | | | |
|--|-------|-------|-------|--------|-------|-------|-------|--------------|-------|-------|-------------------------|
| Jackson A12 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | |
| Net window area (unshaded) (m ²) | 1.98 | 0.72 | 0.18 | nil | 0.59 | 0.45 | nil | nil | 3.27 | n/a | 7.16 * Frame width 0.1m |
| window to floor area (unshaded%) | 14 | 9 | 4 | nil | 5 | 4 | nil | nil | 34 | n/a | 69 |
| Covered surface area (m ²) | 5.86 | 11.48 | | | 1.50 | 5.35 | nil | nil | | | 24.19 |
| Net wall surface area (%) | 83.95 | 61.73 | | | 96.05 | 85.44 | nil | nil | | | |
| Furniture volume (m ³) | 3.66 | 6.55 | 1.45 | | 3.12 | 1.87 | nil | 0.00 | | | |
| Net volume (m ³) | 29.84 | 12.80 | 7.94 | | 24.35 | 23.98 | nil | 23.20 | | | |
| Net volume (%) | 89.07 | 66.16 | 84.55 | | 88.63 | 92.78 | nil | 100.00 | | | |

| Occupant Scenario | | | | | | | | | | | |
|--|-------|-------|-------|--------|-------|-------|-------|--------------|-------|-------|-------------------------|
| Knox B9 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | |
| Net window area (unshaded) (m ²) | 2.26 | 0.72 | 0.50 | nil | 0.14 | 0.72 | nil | nil | 3.27 | n/a | 7.16 * Frame width 0.1m |
| window to floor area (unshaded%) | 16 | 9 | 12 | nil | 1 | 6 | nil | nil | 34 | n/a | 78 |
| Covered surface area (m ²) | 2.35 | 10.28 | | | 1.60 | 6.35 | nil | nil | | | 20.58 |
| Net wall surface area (%) | 93.56 | 65.73 | | | 95.79 | 82.72 | nil | nil | | | |
| Furniture volume (m ³) | 3.00 | 6.17 | 1.45 | | 2.70 | 0.80 | nil | 1.00 | | | |
| Net volume (m ³) | 30.50 | 13.18 | 7.94 | | 24.77 | 25.04 | nil | 22.20 | | | |
| Net volume (%) | 91.04 | 68.12 | 84.55 | | 90.17 | 96.90 | nil | 95.69 | | | |

| Occupant Scenario | | | | | | | | | | | |
|--|-------|-------|-------|--------|-------|-------|-------|--------------|-------|-------|-------------------------|
| Douglass D4 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | |
| Net window area (unshaded) (m ²) | 1.42 | 0.63 | 0.45 | nil | 0.18 | 0.50 | nil | nil | 2.94 | n/a | 7.16 * Frame width 0.1m |
| window to floor area (unshaded%) | 10 | 8 | 11 | nil | 2 | 4 | nil | nil | 30 | n/a | 65 |
| Covered surface area (m ²) | 6.68 | 11.45 | | | 5.48 | 9.68 | nil | nil | | | 33.29 |
| Net wall surface area (%) | 81.70 | 61.83 | | | 85.58 | 73.66 | nil | nil | | | |
| Furniture volume (m ³) | 4.85 | 6.73 | 1.45 | | 3.60 | 1.88 | nil | 0.00 | | | |
| Net volume (m ³) | 28.65 | 12.62 | 7.94 | | 23.87 | 23.97 | nil | 23.20 | | | |
| Net volume (%) | 85.53 | 65.23 | 84.55 | | 86.91 | 92.75 | nil | 100.00 | | | |

| Occupant Scenario | | | | | | | | | | | |
|--|-------|-------|-------|--------|-------|-------|-------|--------------|-------|-------|-------------------------|
| Beattie D5 | LVRM | KIT | BATH | TOILET | BED 1 | BED 2 | BED 3 | BALCONY HALL | STORE | TOTAL | |
| Net window area (unshaded) (m ²) | 1.42 | 0.36 | 0.45 | nil | 0.41 | 0.23 | nil | nil | 0.00 | n/a | 7.16 * Frame width 0.1m |
| window to floor area (unshaded%) | 10 | 4 | 11 | nil | 3 | 2 | nil | nil | 0 | n/a | 31 |
| Covered surface area (m ²) | 4.16 | 12.06 | | | 3.78 | 8.40 | nil | nil | | | 28.40 |
| Net wall surface area (%) | 88.60 | 59.82 | | | 90.05 | 77.14 | nil | nil | | | |
| Furniture volume (m ³) | 2.95 | 9.63 | 1.45 | | 2.58 | 2.34 | nil | 2.00 | | | |
| Net volume (m ³) | 30.55 | 9.72 | 7.94 | | 24.89 | 23.50 | nil | 21.20 | | | |
| Net volume (%) | 91.19 | 50.26 | 84.55 | | 90.62 | 90.95 | nil | 91.38 | | | |

14 FORTROSE STREET

Temperature (°C), Relative Humidity (%), CO₂ Levels (ppm)

2006-03-14: 6°C windy, cloudy, grey 92%RH / 2006-03-15: 4°C overcast, cloudy, grey 82%RH

| No. | Name | Flat | Living Room | | | Kitchen | | | Bathroom | | | Bedroom 1 (nearest stair) | | | Bedroom 2 (near bath) | | |
|-----|----------|------|-------------|--------|-----------------------|-----------|--------|-----------------------|-----------|--------|-----------------------|---------------------------|--------|-----------------------|-----------------------|--------|-----------------------|
| | | | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) |
| 1 | Esler | C9 | 21.3 | 42.9 | 1270 | 22 | 41.2 | 1330 | 21.4 | 42 | 950 | 21.7 | 39.1 | 1070 | 21.4 | 37.8 | 1010 |
| 2 | Beattie | D5 | 16.8 | 43.4 | 740 | 17.2 | 43.3 | 730 | 16.8 | 42.3 | 760 | 16.9 | 43.5 | 770 | 16.8 | 45.5 | 890 |
| 3 | Douglass | D4 | 21.3 | 45.9 | 1070 | 21.6 | 45.8 | 1140 | 21.3 | 44.8 | 1080 | 21.1 | 46.3 | 1060 | 21.1 | 49.2 | 1060 |
| 4 | Knox | B9 | 15.5 | 42.3 | 880 | 15.3 | 44.3 | 870 | 14.6 | 41.5 | 770 | 14.6 | 41.5 | 870 | 14.5 | 41.5 | 750 |
| 5 | Kier | A3 | 21.5 | 49.9 | 1750 | 20.7 | 49.9 | 1210 | 16.9 | 42.3 | 720 | 18.2 | 39.9 | 870 | 17.5 | 41.5 | 750 |
| 6 | Jackson | A12 | 17.6 | 52.5 | 1830 | 17.4 | 53.1 | 1890 | 16.7 | 54.3 | 1500 | 16.8 | 49.1 | 1710 | 16.8 | 51.1 | 1490 |
| | | | 19.0 | 46.2 | 1256.7 | 19.0 | 46.3 | 1195 | 18.0 | 44.5 | 963.3 | 18.2 | 43.2 | 1058.3 | 18.0 | 44.4 | 991.7 |

Home Habits

| No. | Name | Flat | # Occpts | At home/out (hrs) | | At home/out (hrs) | |
|-----|---------|------|----------|-------------------|----------|-------------------|----------|
| | | | | weekday | weekend | weekday | weekend |
| 1 | Esler | C9 | 5 | 19/5 | 19/5 | | |
| 2 | Beattie | D5 | 1 | 21/3 | 21/3 | | |
| 3 | Douglas | D4 | 2 | 20/4 | 14/10 | | |
| 4 | Knox | B9 | 1 | 23/1 | 22/2 | | |
| 5 | Kier | A3 | 2 | 19/5 | 17/7 (H) | 22/2 | 20/4 (W) |
| 6 | Jackson | A12 | 2 | 19/5 | 16/8 | | |

* take average of 2 and used in mean/median calculations = 20.5/3.5 weekdays & 18.5/5.5 weekends

Heating

| No. | Name | Flat | # Occpts | # Rooms | Rooms/spaces with heating (#/on[1]-off[0]-broken[n]) | | | | | | Time of year (ON) | Time of day (ON) | Level of heating in each room/space | | | | | | Thermostat (°C/adjust °C) |
|-----|----------|------|----------|---------|--|----------|----------|----------|----------|----------|-------------------|------------------|-------------------------------------|---------|---------|----------|---------|---------|---------------------------|
| | | | | | Lvrm | Kitchen | Bathroom | Bedrm 1 | Bedrm 2 | Hallway | | | Sunspace | Lvrm | Kitchen | Bathroom | Bedrm 1 | Bedrm 2 | |
| 1 | Esler | C9 | 5 | 5 | ES (1/1); E F (1/1) | ES (1/1) | EP (1/1) | EP (1/1) | EP (1/1) | ES (2/1) | all year | Evening | 4-5 | 4-5 | 4-5 | 4-5 | 4-5 | 4-5 | |
| 2 | Beattie | D5 | 1 | 5 | ES (1/1); E F (1/1) | ES (1/1) | EP (1/0) | EP (1/0) | EP (1/0) | ES (2/1) | Oct-Apr | Evening | max 5-6 | max 5-6 | max 5-6 | nil | nil | max 5-6 | |
| 3 | Douglass | D4 | 2 | 5 | ES (1/1); E F (1/1) | ES (1/1) | EP (1/1) | EP (1/1) | EP (1/1) | ES (2/1) | Oct-Apr | Evening | max 5-6 | max 5-6 | max 5-6 | max 5-6 | max 5-6 | max 5-6 | |
| 4 | Knox | B9 | 1 | 5 | ES (1/1); E F (1/1) | ES (1/1) | EP (1/1) | EP (1/1) | EP (1/1) | ES (2/1) | all year | Evening | unsure | unsure | unsure | unsure | unsure | unsure | |
| 5 | Kier | A3 | 2 | 5 | ES (1/1); E F (1/1) | ES (1/1) | EP (1/0) | EP (1/0) | EP (1/0) | ES (2/1) | Oct-Apr | Afternoon | 3 | 3 | 3 | nil | nil | 3 | |
| 6 | Jackson | A12 | 2 | 5 | ES (1/1); E F (1/0) | ES (1/1) | EP (1/0) | EP (1/0) | EP (1/0) | ES (2/1) | Oct-Apr | Evening | max 5-6 | nil | max 5-6 | nil | nil | max 5-6 | |

CH - central gas heating
 EF - electric fire
 ES - electric storage
 E - electric (plug-in)
 GF - gas fire
 EP - electric panel
 F - fan heater

Access to sunlight

| No. | Name | Flat | # Occpts | # Rooms | Orientation of windows (N/S/E/W) | | | | | | Scale Rating (1-5) | | | | |
|-----|----------|------|----------|---------|----------------------------------|---------|----------|---------|---------|---------|--------------------|--------------------|--------------------|-----------------|------------------|
| | | | | | Lvrm | Kitchen | Bathroom | Bedrm 1 | Bedrm 2 | Hallway | Balcony | access to sunlight | outdoor/good light | private outdoor | communal outdoor |
| 1 | Esler | C9 | 5 | 5 | W | W | E | W | W | E | E+W | 5 | 5 | 5 | 3 |
| 2 | Beattie | D5 | 1 | 5 | W | W | E | W | W | E | E+W | 3 | 4 | 4 | 3 |
| 3 | Douglass | D4 | 2 | 5 | W | W | E | W | W | E | E+W | 3 | 5 | 5 | 4 |
| 4 | Knox | B9 | 1 | 5 | W | W | E | W | W | E | E+W | 3 | 5 | 5 | 5 |
| 5 | Kier | A3 | 2 | 5 | W | W | E | W | W | E | E+W | 3 | 5 | 5 | 5 |
| 6 | Jackson | A12 | 2 | 5 | W+S | W | E | W | W | E | E+W | 5 | 5 | 5 | 5 |

Windows and Ventilation

| No. | Name | Flat | # Occpts | # Rooms | Windows open (#/open[1]-closed[0]/trickle vent [o][c][n]) | | | | | | Wall Vents (Y)(B-boarded up) | | | | | Trickle Vents (unused) | | | Extract Fans [1][0] | | Passive Stack | Dehumidifier |
|-----|----------|------|----------|---------|---|---------|----------|---------|---------|------------|------------------------------|---------|----------|---------|---------|------------------------|--------|---------|---------------------|---------|---------------|--------------|
| | | | | | Lvrm (2+d | Kitchen | Bathroom | Bedrm 1 | Bedrm 2 | Hallway (2 | Lvrm | Kitchen | Bathroom | Bedrm 1 | Bedrm 2 | Hallway | unsure | unaware | access | Kitchen | | |
| 1 | Esler | C9 | 5 | 5 | 2/1/o | 1/1/o | 1/0/o | 1/1/o | 1/1/o | 2/0/o | | | | | | | | | 0 | MS/1 | 0 | 0 |
| 2 | Beattie | D5 | 1 | 5 | 2/1/c | 1/1/c | 1/0/c | 1/1/c | 1/1/c | 2/0/c | | | | | | | 1 | | 0 | MS/0 | 0 | 0 |
| 3 | Douglass | D4 | 2 | 5 | 2/0/c | 1/1/c | 1/1/c | 1/0/c | 1/0/c | 2/0/c | | | | | | | | | 0 | MS/1 | 0 | 0 |
| 4 | Knox | B9 | 1 | 5 | 2/1/c | 1/1/c | 1/1/c | 1/1/c | 1/1/c | 2/0/c | | | | | | | | 1 | 0 | 0 | 0 | 0 |
| 5 | Kier | A3 | 2 | 5 | 2/0/c | 1/1/o | 1/1/c | 1/1/c | 1/1/c | 2/0/c | | | | | | | | | 0 | MS/0 | 0 | 0 |
| 6 | Jackson | A12 | 2 | 5 | 2/0/c | 1/0/c | 1/0/o | 1/1/c | 1/1/c | 2/0/c | | | | | | | | | 0 | 0 | 0 | 0 |

Extract fans

AH - Auto-humidistat control extract
 AT - Auto-timer extract
 MS - manual switch extract
 P - pull chord extract

Humidity

| No. | Name | Flat | # Occpts | Laundry Method [1][B] | loads/time | Location | Drying Method | loads/time | Surface Condensation |
|-----|------|------|----------|-----------------------|------------|----------|---------------|------------|----------------------|
|-----|------|------|----------|-----------------------|------------|----------|---------------|------------|----------------------|

| | | Washer | Hand | Lauderette | (per week) | Kitchen | W-D [1][0] | TD-[p][f][n]/[1][0][B] | hang dry-[o][i]/[ch][cl] | radiators-[0][hh] | (per week) | windows | walls | clothes |
|---|-------------|--------|------|------------|------------|---------|------------|------------------------|--------------------------|-------------------|------------|---------|--------|---------|
| 1 | Esler C9 | 5 | 1 | | 1/3 days | Y | | f/0 | | | 1/3 days | Y-k/b | | |
| 2 | Beattie D5 | 1 | 1 | | 1/4 days | Y | | | i/ch | | 1/4 days | | | |
| 3 | Douglass D4 | 2 | 1 | | 1/2 days | Y | | f/0 | | | 1/2 days | Y-k/b | Y/b1+2 | |
| 4 | Knox B9 | 1 | | 1 | 1/1 day | | | | o/t | | 1/1 day | | | |
| 5 | Kier A3 | 2 | 1 | | 1/4 days | Y | | | o/t | | 1/4 days | Y-k/b | | |
| 6 | Jackson A12 | 2 | 1 | | 1/3 days | Y | | | o/t | | 1/3 days | Y-b1 | | |

B-broken

W-D - washer and tumble dryer

TD - separate tumble dryer [plumbed-in][flexible hose][no ventilation system]/heat benefit [0-no][1-yes][B-broken]

hang dry - [outdoors][indoors]/[close horse][closet space][drying room][hang][pulley][terrace][drying area]

radiators - [0 heat change][heat higher]

* Purpose duct but used as flexible hose system

Acoustic Insulation

| No. | Name | Flat | # Occpts | Noise (Y) | Scale Rating | Frequency | Disturbance |
|-----|----------|------|----------|-----------|--------------|-----------|-------------|
| 1 | Esler | C9 | 5 | Y | 4 | | 3 |
| 2 | Beattie | D5 | 1 | Y | 3 | | 1 |
| 3 | Douglass | D4 | 2 | Y | 5 | | 5 |
| 4 | Knox | B9 | 1 | | 1 | | 1 |
| 5 | Kier | A3 | 2 | | 1 | | 1 |
| 6 | Jackson | A12 | 2 | | 1 | | 1 |

Stress-Positive/Negative Scale-Well-being

| No. | Name | Flat | # Occpts | Smokers | Cigarettes (per day) | Alcohol (units/week) | Pets (#) | Level of control in house (scale rating) | | Perception and Emotions (scale rating) | | | | | | Ailments (avg scale rating) | | | | | | |
|-----|----------|------|----------|---------|----------------------|----------------------|----------|--|------------------------|--|-----------|-------|-----------|---------|-------------|-----------------------------|---------|------------|----------|---------|------------|------------|
| | | | | | | | | unexpected | lack control (sum/avg) | stress level (sum/avg) | Enthusias | Proud | Irritable | Ashamed | Alert/Atter | Upset | Nervous | Scared/Afi | Average | 1 Cause | ho Regular | di P Drugs |
| 1 | Esler | C9 | 5 | Y | 15 | 0 (1) | 0 | 1 | 4 (1) | 3 (1) | 1 | 1 | 5 | 1 | 5 | 1 | 1 | 1 | 21 (1.2) | | Y | |
| 2 | Beattie | D5 | 1 | Y | 6 | | 0 | 1 | 4 (1) | 3 (1) | 5 | 5 | 1 | 1 | 5 | 1 | 1 | 1 | 32 (4.6) | Y | Y | Y |
| 3 | Douglass | D4 | 2 | | | | 5 | 1 | 4 (1) | 3 (1) | 5 | 5 | 1 | 1 | 5 | 5 | 1 | 1 | 31 (4.4) | | Y | Y |
| 4 | Knox | B9 | 1 | | | | 0 | 0 | 4 (1) | 3 (1) | 5 | 5 | 1 | 1 | 5 | 1 | 1 | 1 | 21 (1.2) | | | Y |
| 5 | Kier | A3 | 2 | | | 1 (2) | 0 | | 4 (1) | 3 (1) | 5 | 5 | 1 | 1 | 5 | 1 | 1 | 1 | 17 (1) | | Y | Y |
| 6 | Jackson | A12 | 2 | | | | 7 | 0 | 4 (1) | 3 (1) | 5 | 5 | 1 | 1 | 1 | 1 | 3 | 1 | 27 (1.6) | | Y | Y |

* probably false information

14 FORTROSE STREET 2

Temperature (°C), Relative Humidity (%), CO₂ Levels (ppm)

01-11-2006: Sunny/Clear/Dry 4°C 79%RH / 23-11-2006: Dry/Sunny/Cool 7 °C 96%RH

| No. | Name | Flat | Living Room | | | Kitchen | | | Bathroom | | | Bedroom 1 | | | Bedroom 2 (nearest front door) | | |
|-----|----------|------|-------------|-------------|-----------------------|-------------|-------------|-----------------------|-------------|-------------|-----------------------|-------------|-------------|-----------------------|--------------------------------|-------------|-----------------------|
| | | | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) | Temp (°C) | RH (%) | CO ₂ (ppm) |
| 1 | Esler | C9 | 20.9 | 51.5 | 1450.0 | 21.4 | 47.8 | 900.0 | 21.3 | 44.8 | 810.0 | 21.5 | 46.2 | 950.0 | 21.4 | 45.8 | 810.0 |
| 2 | Beattie | D5 | 19.1 | 48.0 | 970.0 | 19.3 | 46.7 | 790.0 | 18.6 | 48.9 | 780.0 | 18.7 | 47.4 | 770.0 | 18.6 | 48.2 | 770.0 |
| 3 | Douglass | D4 | 21.1 | 65.0 | 1890.0 | 21.5 | 62.3 | 1830.0 | 20.8 | 68.6 | 1980.0 | 21.4 | 60.8 | 1960.0 | 21.0 | 64.8 | 2150.0 |
| 4 | Kier | A3 | 18.0 | 62.8 | 1750.0 | 18.6 | 63.8 | 1990.0 | 17.2 | 57.9 | 1230.0 | 16.8 | 58.5 | 1270.0 | 16.4 | 65.4 | 1380.0 |
| 5 | Knox | B9 | | | | | | | | | | | | | | | |
| 6 | Jackson | A12 | | | | | | | | | | | | | | | |
| | | | 19.8 | 56.8 | 1515.0 | 20.2 | 55.1 | 1377.5 | 19.5 | 55.1 | 1200.0 | 19.6 | 53.2 | 1237.5 | 19.3 | 56.0 | 1277.5 |

